


PERN PLANK vol.2

MASTER
collection



PERN PLANK vol.2



01 Edge Oak

02 Rub Wood

03 Sand Oak

04 The Acasia


05 Grey Pine

06 Wild Elm



MASTER
collection

PERN PLANK vol.2




*Like the life of a master,
the harmony of wood grains in layers*

Where
your
eyes
stay



MASTER
collection

DRYBACK



- Glue down
- Excellent dimensional stability
- Eco-friendly materials
- Strong Resistance against dent and scratch)

LOOSE LAY



- No adhesive required
- Excellent noise reduction & absorption
- Softness underfoot
- Excellent dimensional stability
- Eco-friendly materials

01

Edge Oak



MASTER
COLLECTION
COLOR WAY

MASTER
collection
PWP 7501

Type
Oak
Repeat
1250mm

MASTER
collection
PWP 7502

Type
Oak
Repeat
1250mm

MASTER
collection
PWP 7503

Type
Oak
Repeat
1250mm

MASTER
collection
PWP 7504

Type
Oak
Repeat
1250mm

MASTER
collection
PWP 7505

Type
Oak
Repeat
1250mm

01
Edge Oak

MASTER
collection
PWP 7501

Type
Oak
Repeat
1250mm
Scale
1:10
Plank size
177.8 x 1219.2mm

MASTER
collection



The image may be slightly different from the actual colors.

PWP 7502

PWP 7503

PWP 7504

PWP 7505

Design No.
PWP 7501
Plank size
177.8 x 1219.2mm



01
Edge Oak

MASTER
collection
PWP 7502

Type
Oak
Repeat
1250mm
Scale
1:10
Plank size
177.8 x 1219.2mm



MASTER
collection



The image may be slightly different from the actual colors.

PWP 7501

PWP 7503

PWP 7504

PWP 7505

Design No.
PWP 7502
Plank size
177.8 x 1219.2mm



01
Edge Oak

MASTER
collection
PWP 7503

Type
Oak
Repeat
1250mm
Scale
1:10
Plank size
177.8 x 1219.2mm

MASTER
collection



Design No.
PWP 7503
Plank size
177.8 x 1219.2mm



PWP 7501

PWP 7502

PWP 7504

PWP 7505



The image may be slightly different from the actual colors.

01
Edge Oak

MASTER
collection
PWP 7504

Type
Oak
Repeat
1250mm
Scale
1:10
Plank size
177.8 x 1219.2mm

MASTER



Design No.
PWP 7504
Plank size
177.8 x 1219.2mm



PWP 7501

PWP 7502

PWP 7503

PWP 7505



The image may be slightly different from the actual colors.

01
Edge Oak
MASTER
collection
PWP 7505

Type
Oak
Repeat
1250mm
Scale
1:10
Plank size
177.8 x 1219.2mm



The image may be slightly different from the actual colors.

PWP 7501

PWP 7502

PWP 7503

PWP 7504

MASTER
collection



Design No.
PWP 7505
Plank size
177.8 x 1219.2mm



02

Rub Wood



MASTER
COLLECTION
COLOR WAY

MASTER
collection
PWP 7511

Type
Oak
Repeat
1250mm

MASTER
collection
PWP 7512

Type
Oak
Repeat
1250mm

MASTER
collection
PWP 7513

Type
Oak
Repeat
1250mm

MASTER
collection
PWP 7514

Type
Oak
Repeat
1250mm

02
Rub Wood

MASTER
collection
PWP 7511

Type
Oak
Repeat
1250mm
Scale
1:10
Plank size
177.8 x 1219.2mm

MASTER
collection




The image may be slightly different from the actual colors.

PWP 7512

PWP 7513

PWP 7514

Design No.
PWP 7511
Plank size
177.8 x 1219.2mm



02
Rub Wood

MASTER
collection
PWP 7512

Type
Oak
Repeat
1250mm
Scale
1:10
Plank size
177.8 x 1219.2mm

MASTER
collection



The image may be slightly different from the actual colors.

PWP 7511

PWP 7513

PWP 7514



Design No.
PWP 7512
Plank size
177.8 x 1219.2mm



02
Rub Wood

MASTER
collection
PWP 7513

Type
Oak
Repeat
1250mm

Scale
1:10
Plank size
177.8 x 1219.2mm



The image may be slightly different from the actual colors.

PWP 7511

PWP 7512

PWP 7514

Design No.
PWP 7513
Plank size
177.8 x 1219.2mm



02
Rub Wood

MASTER
collection
PWP 7514

Type
Oak
Repeat
1250mm
Scale
1:10
Plank size
177.8 x 1219.2mm



The image may be slightly different from the actual colors.

PWP 7511

PWP 7512

PWP 7513

Design No.
PWP 7514
Plank size
177.8 x 1219.2mm



03

Sand Oak



COLOR WAY



Type
Oak
Repeat
1250mm



Type
Oak
Repeat
1250mm



Type
Oak
Repeat
1250mm

03
Sand Oak

MASTER
collection
PWP 7521

Type
Oak
Repeat
1250mm
Scale
1:10
Plank size
177.8 x 1219.2mm

MASTER
collection



Design No.
PWP 7521
Plank size
177.8 x 1219.2mm



PWP 7522

PWP 7523



The image may be slightly different from the actual colors.

03
Sand Oak

MASTER
collection
PWP 7522

Type
Oak
Repeat
1250mm
Scale
1:10
Plank size
177.8 x 1219.2mm



MASTER
collection

Design No.
PWP 7522
Plank size
177.8 x 1219.2mm



The image may be slightly different from the actual colors.

PWP 7521

PWP 7523

03
Sand Oak

MASTER
collection
PWP 7523

Type
Oak
Repeat
1250mm
Scale
1:10
Plank size
177.8 x 1219.2mm



MASTER
collection

Design No.
PWP 7523
Plank size
177.8 x 1219.2mm



PWP 7521


PWP 7522



The image may be slightly different from the actual colors.

04

The Acasia



MASTER
COLLECTION
COLOR WAY

MASTER
collection
PWP 7531

Type
Acasia
Repeat
1250mm

MASTER
collection
PWP 7532

Type
Acasia
Repeat
1250mm

MASTER
collection
PWP 7533

Type
Acasia
Repeat
1250mm

MASTER
collection
PWP 7534

Type
Acasia
Repeat
1250mm

04

The Acasia

MASTER collection

PWP 7531

Type
Acasia

Repeat
1250mm

Scale
1:10

Plank size
177.8 x 1219.2mm

MASTER collection



The image may be slightly different from the actual colors.

PWP 7532

PWP 7533

PWP 7534

Design No.
PWP 7531
Plank size
177.8 x 1219.2mm



04

The Acasia

MASTER
collection
PWP 7532

Type
Acasia
Repeat
1250mm
Scale
1:10
Plank size
177.8 x 1219.2mm

MASTER
collection



The image may be slightly different from the actual colors.

PWP 7531

PWP 7533

PWP 7534

Design No.
PWP 7532
Plank size
177.8 x 1219.2mm



04

The Acasia

MASTER collection

PWP 7533

Type
Acasia

Repeat
1250mm

Scale
1:10

Plank size
177.8 x 1219.2mm



The image may be slightly different from the actual colors.

PWP 7531

PWP 7532

PWP 7534

Design No.
PWP 7533
Plank size
177.8 x 1219.2mm



04

The Acasia

MASTER collection

PWP 7534

Type
Acasia

Repeat
1250mm

Scale
1:10

Plank size
177.8 x 1219.2mm

MASTER collection



The image may be slightly different from the actual colors.

PWP 7531

PWP 7532

PWP 7533

Design No.
PWP 7534
Plank size
177.8 x 1219.2mm



05

Grey Pine



MASTER
COLLECTION
COLORWAY

MASTER
collection
PWP 7541

Type
Pine
Repeat
1250mm

MASTER
collection
PWP 7542

Type
Pine
Repeat
1250mm

MASTER
collection
PWP 7543

Type
Pine
Repeat
1250mm

05
Grey Pine

MASTER
collection
PWP 7541

Type
Pine
Repeat
1250mm
Scale
1:10
Plank size
177.8 x 1219.2mm

MASTER
collection



The image may be slightly different from the actual colors.

PWP 7542

PWP 7543

Design No.
PWP 7541
Plank size
177.8 x 1219.2mm



05
Grey Pine
MASTER
collection
PWP 7542

Type
Pine
Repeat
1250mm
Scale
1:10
Plank size
177.8 x 1219.2mm



The image may be slightly different from the actual colors.

PWP 7541

PWP 7543



Design No.
PWP 7542
Plank size
177.8 x 1219.2mm



05

Grey Pine

MASTER
collection

PWP 7543

Type
Pine

Repeat
1250mm

Scale
1:10

Plank size
177.8 x 1219.2mm



The image may be slightly different from the actual colors.

PWP 7541

PWP 7542





Design No.
PWP 7543
Plank size
177.8 x 1219.2mm



06

Wild Elm



MASTER
collection
COLOR WAY

MASTER
collection
PWP 7551

Type
Elm
Repeat
1250mm

MASTER
collection
PWP 7552

Type
Elm
Repeat
1250mm

MASTER
collection
PWP 7553

Type
Elm
Repeat
1250mm

MASTER
collection
PWP 7554

Type
Elm
Repeat
1250mm

06
Wild Elm

MASTER
collection
PWP 7551

Type
Elm
Repeat
1250mm
Scale
1:10
Plank size
177.8 x 1219.2mm



The image may be slightly different from the actual colors.

PWP 7552

PWP 7553

PWP 7554

MASTER
collection



Design No.
PWP 7551
Plank size
177.8 x 1219.2mm



06
Wild Elm

MASTER
collection
PWP 7552

Type
Elm
Repeat
1250mm

Scale
1:10

Plank size
177.8 x 1219.2mm

MASTER
collection



The image may be slightly different from the actual colors.

PWP 7551

PWP 7553

PWP 7554

Design No
PWP 7552
Plank size
177.8 x 1219.2mm



06
Wild Elm

MASTER
collection
PWP 7553

Type
Elm
Repeat
1250mm
Scale
1:10
Plank size
177.8 x 1219.2mm

MASTER
collection



The image may be slightly different from the actual colors.

PWP 7551

PWP 7552

PWP 7554

Design No.
PWP 7553
Plank size
177.8 x 1219.2mm



06
Wild Elm

MASTER
collection
PWP 7554

Type
Elm
Repeat
1250mm

Scale
1:10
Plank size
177.8 x 1219.2mm

MASTER
collection



The image may be slightly different from the actual colors.

PWP 7551

PWP 7552

PWP 7553

Design No.
PWP 7554
Plank size
177.8 x 1219.2mm





PRODUCT SPECIFICATIONS

| Thickness | Wear layer [mm] | Width & Length [mm] | Width & Length [Inch] | per BOX sqmt | sqft |
|-----------|----------------------|---------------------|-----------------------|--------------|-------|
| 2.0 | 0.15 0.20 0.30 | 101.6 x 914.4 | 4" x 36" | 56pcs / 5.20 | 56.00 |
| | | 152.4 x 914.4 | 6" x 36" | 36pcs / 5.02 | 54.00 |
| | | 152.4 x 1219.2 | 6" x 48" | 24pcs / 4.45 | 48.00 |
| | | 180 x 920 | 7.08" x 36.2" | 28pcs / 4.64 | 49.91 |
| | | 177.8 x 1219.2 | 7" x 48" | 22pcs / 4.77 | 51.33 |
| | | 304.8 x 609.6 | 12" x 24" | 27pcs / 5.02 | 54.00 |
| | | 457.2 x 457.2 | 18" x 18" | 24pcs / 5.02 | 54.00 |
| 2.5 | 0.20 0.30 | 101.6 x 914.4 | 4" x 36" | 44pcs / 4.09 | 44.00 |
| | | 152.4 x 914.4 | 6" x 36" | 28pcs / 3.90 | 42.00 |
| | | 152.4 x 1219.2 | 6" x 48" | 18pcs / 3.34 | 36.00 |
| | | 180 x 920 | 7.08" x 36.2" | 24pcs / 3.97 | 42.78 |
| | | 177.8 x 1219.2 | 7" x 48" | 18pcs / 3.90 | 42.00 |
| | | 228.6 x 1219.2 | 9" x 48" | 16pcs / 4.46 | 48.00 |
| | | 304.8 x 609.6 | 12" x 24" | 21pcs / 3.90 | 42.00 |
| | | 457.2 x 457.2 | 18" x 18" | 19pcs / 3.97 | 42.75 |
| 3.0 | 0.30 0.50 | 101.6 x 914.4 | 4" x 36" | 38pcs / 3.53 | 38.00 |
| | | 152.4 x 914.4 | 6" x 36" | 24pcs / 3.34 | 36.00 |
| | | 180 x 920 | 7.08" x 36.2" | 20pcs / 3.31 | 35.65 |
| | | 177.8 x 1219.2 | 7" x 48" | 15pcs / 3.25 | 35.00 |
| | | 228.6 x 1219.2 | 9" x 48" | 13pcs / 3.62 | 39.00 |
| | | 304.8 x 609.6 | 12" x 24" | 18pcs / 3.34 | 36.00 |
| | | 457.2 x 457.2 | 18" x 18" | 16pcs / 3.34 | 36.00 |
| 5.0 | 0.30 0.50 | 600 x 600 | 23.62" x 23.62" | 9pcs / 3.24 | 34.88 |
| | | 152.4 x 914.4 | 6" x 36" | 10pcs / 1.39 | 38.00 |
| | | 177.8 x 1219.2 | 7" x 48" | 10pcs / 2.17 | 23.33 |
| | | 228.6 x 1219.2 | 9" x 48" | 8pcs / 2.23 | 24.00 |
| | | 228.6 x 1524 | 9" x 60" | 8pcs / 2.79 | 30.03 |
| | | 304.8 x 609.6 | 12" x 24" | 10pcs / 1.86 | 20.00 |
| | | 457.2 x 457.2 | 18" x 18" | 10pcs / 2.09 | 22.50 |
| 600 x 600 | 23.62" x 23.62" | 6pcs / 2.16 | 23.25 | | |

CERTIFICATION



TECHNICAL DATA

| Parameter / Property | Test Method | Test result |
|---|----------------|-------------------------|
| Length Average [mm] Width Average [mm] Straightness largest value [mm] | EN ISO 24341 | 7218 1837 2.0 |
| Overall thickness Average [mm] Maximum value [mm] Minimum value [mm] | EN ISO 24346 | 2.01 2.02 1.99 |
| Mass by unit area [g/m ²] | EN ISO 24346 | 2980 |
| Flexibility | EN ISO 24344 | no cracking |
| Wear resistance Loss of volume [mm ³] | EN 660-2 | 1.8 |
| Colour fastness to light | EN 20105-B02/3 | 8 |
| Dimensional stability [%] Curling [mm] | EN ISO 23999 | L 0.05 C 0.05 5.1 |
| Thickness of wear layer Average [mm] Maximum value [mm] Minimum value [mm] | EN ISO 24340 | 0.38 0.36 0.40 |
| Residual Indentation [mm] | EN ISO 24343 | 0.18 |
| Classification | EN 649 | class 21/22/22+ |
| Dynamic coefficient of friction [μ] | EN 13893 | 0.31 |

INSTALLATION GUIDE

1. Cartons should be stored and transported on a flat surface in neat stacks, always store the cartons flat and never put them on-end.
Do not store the cartons in very cold (less than 2°C) or very warm (more than 40°C) or humid places.
2. Please inspect product prior to installation. Check that the colors correspond to those ordered, the quantities are correct and there is no visible damage to the boxes.
Check the vinyl planks or tiles during installation for any visible defects.
Do not install any planks or tiles that display any imperfections.
3. We recommend that you always use materials from a single production batch for each installation, as we cannot guarantee a shade match between different batches.
4. PERN LVT is only suitable for indoor installation.
5. In areas that may be subject to excessive direct heat 45°C or above (e.g. fully glazed sun facing conservatories) the floor must be installed with high temperature adhesive.
It is particularly necessary to keep the temperature in conservatories at a constant temperature between 18°C and 27°C prior to, during, and for 72 hours after installation.
It would also be advisable to shade windows to avoid direct intense sunlight. This should help to provide a constant temperature during the acclimatization period the installation and 72 hours after the installation.
6. The subfloor must be hard, smooth, clean and dry, as well as being free from defects and fit for purpose. When required, scrape off and remove old adhesives and loose lay-ing leveling compound. Make sure the subfloor is flat and free from chemical substances and other contamination.
7. PERN LVT must acclimatize in the room of installation, or an equivalent area for at least 24 hours prior to installation, or until such time as the product has achieved an ambient temperature. Again, this is a minimum temperature of 18°C and a maximum of 27°C.
8. PERN LVT should be installed with a room temperature of between 18°C and 27°C and a floor temperature of above 15°C.



01 Edge Oak

02 Rub Wood

03 Sand Oak

04 The Acasia

05 Grey Pine

06 Wild Elm

Contact

info@pern.co.kr

www.pern.co.kr